UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION	
10/717,563	11/21/2003	Gerhard Hammer	2454.1108	8456
21171 STAAS & HAI	7590 06/09/201 SEY LLP	EXAMINER		
SUITE 700		BARQADLE, YASIN M		
1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER
			2456	
			MAIL DATE	DELIVERY MODE
			06/09/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application No.	pplication No. Applicant(s)				
		10/717,563		HAMMER ET AL.			
		Examiner		Art Unit			
		YASIN BARQAD	LE	2456			
Period fo	The MAILING DATE of this communication or Reply	appears on the cover	sheet with the c	orrespondence ad	idress		
WHIC - Exter after - If NO - Failu Any r	CORTENED STATUTORY PERIOD FOR RESERVER IS LONGER, FROM THE MAILING asions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory per re to reply within the set or extended period for reply will, by state ply received by the Office later than three months after the mand patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS CO 2.1.136(a). In no event, howed iod will apply and will expire atute, cause the application to	OMMUNICATION ever, may a reply be time SIX (6) MONTHS from to become ABANDONEI	I. lely filed the mailing date of this c (35 U.S.C. § 133).			
Status							
1)🛛	Responsive to communication(s) filed on 24	1 February 2010.					
2a)⊠	This action is FINAL . 2b) ☐ This action is non-final.						
3)	Since this application is in condition for allow	wance except for for	mal matters, pro	secution as to the	e merits is		
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
5)□ 6)⊠ 7)□	Claim(s) <u>1-15 and 17</u> is/are pending in the a 4a) Of the above claim(s) is/are without Claim(s) is/are allowed. Claim(s) <u>1-15 and 17</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and	drawn from consider					
Applicati	on Papers						
9)□	The specification is objected to by the Exam	iner.					
-	The drawing(s) filed on is/are: a) ☐ a		ected to by the E	Examiner.			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	ınder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some color None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachmen 1) ☐ Notic	t(s) e of References Cited (PTO-892)	4\ □	Interview Summary	(PTO-413)			
2) Notic 3) Inforr	e of References Cited (PTO-692) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	5)	Paper No(s)/Mail Da Notice of Informal P Other:	te			

Application/Control Number: 10/717,563 Page 2

Art Unit: 2456

Response to Amendment

The amendment filed on February 24, 2010 has been fully considered but are not deemed persuasive.

• Claims 1-15 and 17 are presented for examination.

Response to Arguments

The Applicant argues that the amended limitations are not taught the references. The Examiner disagrees. Trompower clearly shows overlapping cells with base stations 154 and 156 connected to medium152, fig. 3). Trompower further teaches during each test cycle, each respective base station transmits a number of test signals at least equal to a number of unique communication channels being used by the respective base station (col. 15, lines 60-67 to col. 16, line 5. obviously, the number of communication channels used for testing would at least get a number of test signal that are equal to them for example to test two channels at least two signal one for each is used).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject

matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-8, 10-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Trompower et al US Patent Number (6088591) in view of Fischel et al USPN (20020009134), hereinafter "Fischel".

As per claims 1, 7 and 10, Trompower teaches method and a user device operable to communicate with various base stations within a communication network for operating a network that includes wireless data transmission between a plurality of users, the network having at least two radio cells which at least partly overlap, and each radio cell having at least one base station, each base station using at least one unique communication channel for transmitting data to one or more of the plurality of user, (see fig. 3, cells 162, base stations 154 and 156 connected to medium152 (col. 14, lines 51-61)), the method comprising:

interconnecting the base stations of the at least two radio cells, respectively, via at least one common communication channel (see fig. 3, cells 162, base stations 154 and 156 connected to medium152);

at predefined maximum time intervals, the base stations in respective radio cells transmit test signal during test cycles (col. 15, lines 60-67 to col. 16, line 5), wherein, during each test cycle, each respective base station transmits a number of test signals at least equal to a number of unique communication channels being used by the respective base station (col. 15, lines 60-67 to col.

16, line 5 the number of communication channels used for testing would at least get a number of test signal that are equal to them for example to test two channels at least two signal one for each is used) and each base station having a radio cell that overlaps the radio cell of the respective base station (see fig. 3 for overlapping cells); and

determining, within each respective radio-coupled user and based on the test signals, the communication channel with optimum transmission properties for that radio-coupled user (col. 15, lines 60-67 to col. 16, line 5 and col. 34, lines 17-43).

Although Trompower shows substantial features of the claimed invention including base stations (f154 and 156, fig. 3) transmitting test pattern signal, Trompower does not explicitly show where the test signals are transmitted simultaneously.

Nonetheless, this feature is well known in the art and would have been an obvious modification of the system disclosed by Trompower, as evidenced by Fischel USPN. (20020009134).

In analogous art, Fischel whose invention is about a system for testing wireless communication channels discloses transmitting test signal concurrently (simultaneously) (¶ 0011 and 0014). Giving the teaching of Fischel, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying Trompower by employing the

concurrent testing of multiple traffic channels of Fischel in order to select the best communication channel that provides the best system performance.

As per claim 2, Trompower teaches the method as claimed in claim 1, wherein at least one user initiates the test cycles with messages recurring at the predefined maximum time intervals (col. 15, lines 60 to col. 16, line 49).

As per claim 3, Trompower teaches the method as claimed in claim 2, wherein a user having a logic mastership in a network using an access procedure based on the master-slave principle is the user which initiates the test cycles (col. 15, lines 60 to col. 16, line 44).

As per claim 4, Trompower teaches the method as claimed in claim 1, further comprising: sending, from each of the base stations, at least one test signal during a test cycle on the unique communication channel assigned to the respective base station; setting, within each of the radio-coupled users, all the unique communication channels for reception of the test signals during the test cycle; and retaining, within each respective radio-coupled user, a communication channel with the best transmission properties for the transmission of data after the test cycle (col. 15, lines 60-67 to col. 16, line 5 col. 34, lines 3-43).

As per claim 5, Trompower teaches the method as claimed in claim 1, wherein

each of the base stations successively transmit the test signals on each unique communication channels during a test cycle, so that no two base stations simultaneously transmit on the same unique communication channel (col. 15, lines 60-67 to col. 16, line 5 col. 34, lines 3-43).

As per claim 6, Trompower teaches the method as claimed in claim 5, further comprising: receiving, within the radio-coupled users, the test signals during the test cycle on a unique communication channel that is fixed for the duration of the test cycle (col. 15, lines 25-67 and col. 16, lines 18-49); and determining which base station corresponds to the test signal on the unique communication channel received with the best transmission properties (col. 15, lines 60-67 to col. 16, line 5 and col. 34, lines 17-43); retaining, within each respective radio-coupled user, the respective unique communication channel of the determined base station as the one with the best transmission properties for the transmission of data after the test cycle (col. 15, lines 60-67 to col. 16, line 5 and col. 34, lines 17-43).

As per claims 8 and 12, Trompower teaches a communication system comprising: a communication link operable to carry communication signals; a plurality of base stations each corresponding to a respective cell and each connected to said communication link, each base station being operable to transmit test signals in each of a plurality of different channels (see fig. 3, cells

162, base stations 154 and 156 connected to medium152); a plurality of user devices each operable to receive the test signals in each channel from each base station, said user devices each comprising a channel determiner operable to determine a channel corresponding to a test signal with the strongest signal level and a switch device operable to switch an interface of the user device to the determined channel (see fig. 3, mobile terminals 166 communicating base stations 154 and 156; col. 15, lines 60-67 to col. 16, line 5 and col. 34, lines 17-43. See also col. 29, line 32-46).

As per claim 11, Trompower teaches the mobile user device as claimed in claim 10, wherein no two test messages corresponding to the same communication channel are transmitted at the same time (col. 15, lines 2-59 and col. 16, lines 18-49)

As per claim 13, Trompower teaches the mobile user device as claimed in claim 10, wherein all of the test messages are transmitted during a test cycle having a fixed predetermined duration and wherein the test cycle is initiated by an initiation message generated by a master device connected to each base station through a communication link (col. 15, lines 60-67 to col. 16, line 5 col. 34, lines 3-43. see fig. 3).

As per claim 14, Trompower teaches the mobile user device as claimed in claim 12, wherein communication between the user device and at least two base stations is switched from one of the base stations to another of the base

stations based on the channel selection made by the user device (col. 13, lines 47-66 and col. 34 lines 17-43. see also col. 29, line 32-46).

claims 9 and 17 and rejected under 35 U.S.C. 103(a) as being unpatentable over Trompower et al US Patent Number (6088591) and Fischel in view of Brueckner et al USPN (20020024929), hereinafter "Brueckner". Regarding claims 9 and 17, although Trompower and Fischel show substantial features of the claimed invention, they do not explicitly show where the communication link is a PROFIBUS communication link.

Nonetheless, this feature is well known in the art and would have been an obvious modification of the system disclosed by Trompower and Fischel, as evidenced by Brueckner USPN. (20020024929).

In analogous art, Brueckner whose invention is about Network and coupling device for connecting two segments in a network discloses a PROFIBUS communication supporting link (0019). Giving the teaching of Brueckner, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying Trompower and Fischel by employing the system of Brueckner in order to provide a monitoring mechanism that is particularly advantageous in detecting errors in received messages.

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Trompower and Fischel.

Regarding claims 15 **and 16**, although Trompower and Fischel show substantial features of the claimed invention transmitting test signals and what time intervals to be transmitted, Trompower and Fischel do not explicitly show inserting text cycles in equidistant cycles. Nonetheless, inserting text cycles in equidistant cycles is a matter of design choice. It would have been obvious to a person of ordinary skill in the art at the time of the invention to include the ability of inserting text cycles in equidistant cycles in Trompower and Fischel invention so that test signal pattern are transmitted or processed at an equidistant cycles to evaluate communication channel performance.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH

shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yasin Barqadle whose telephone number is 571-272-3947. The examiner can normally be reached on 9:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dharia Rupal can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/717,563 Page 11

Art Unit: 2456

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Yasin M Barqadle/ Primary Examiner, Art Unit 2456